

STATE: Uttar Pradesh



DATED: 26/09/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	QCI	Approval by Sub-Committee of NCVT		
1 Al-Ihsan Private ITI, Barharganj, Dandopur, Dist. Kushinagar Uttar Pradesh DGET-6/24/37/2013-TC	Electrician Plumber	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Assessment-6/9/2013 SIR-19/9/2013 w.e.f. Aug 2013	
2 Shivakant Private ITI, Vill. Delhara, Post. Koshiapur, Dist. Varanasi Uttar Pradesh DGET-6/24/39/2013-TC	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	Assessment-26/8/2013 SIR-19/09/2013 w.e.f. Aug 2013	
3 SantRajendra Singh Private ITI, Himgiri Colony, Kanth Road, Dist- Moradabad Pin-244001 Uttar Pradesh DGET-6/24/54/2013-TC (New Pvt.)	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)	* 2(1+1)	Assessment-11/09/2013 w.e.f. Aug 2013 * Generator 5KVA 440V 3 phase is not seen in videography and also grinders are not grouted.	
4 Mahadevi Private ITI, Meja Road, Dist- Allahabad Pin-212303 Uttar Pradesh DGET-6/24/55/2013-TC (New Pvt.)	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) *	Assessment-09/08/2013 w.e.f. Aug 2013 *The cost of lathe machine shown as Rs. 250,000/- under tool & equipment list. But the costof lathe machine as indicated in enclosed bill isRs. 1,46,490/- and it is verified by assessors. QCI to clarify.	
5 Jagdish Prasad Private ITI, Vill. Latifpur, Dist. Saharanpur Uttar Pradesh DGET-6/24/27/2013-TC	Electrician Fitter	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)	* *	Assessment-17/07/2013 SIR-23/09/2013 *The videography now shows two person, but not assessors and only one lathe machine. The QCI should re inspect and complete videography is to be re-submitted.	

-1-


पी. एन. यादव/P. N. YADAV
संयुक्त निदेशक प्रशिक्षण/Joint Director Training
डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय
D.G.E.&T., Min. of Labour & Employment
भारत सरकार/Govt. of India

STATE: Uttar Pradesh



DATED: 26/09/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	QCI	Approval by Sub-Committee of NCVT		
6 Holy point Private ITI, VivekVihar, SeehpurBharthana, Dist. Etawah Uttar Pradesh DGET-6/24/36/2013-TC	Fitter	2(1+1)	2(1+1)	*	Assessment-7/8/2013 SIR-23/9/2013 *The videography shows two lathe machines, but now one is old and external belt driven type not as per specification. NCVT Sub-Committee to decide.	
7 Kalawati Private ITI Anjani Nagar, Raj Garh, Dist. Jhansi Uttar Pradesh DGET-6/24/49/2013-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	Assessment-01/8/2013 SIR-24/9/2013 w.e.f. Aug 2013	
8 Jhunjhunwala Pvt. ITI, DwarikapuriHansapur, Dist-Faizabad Uttar Pradesh DGET-6/24/80/2012-TC	Electrician Fitter	Addl. One Unit Addl. One Unit	Addl. One Unit Addl. One Unit	*Rejected *Rejected	Assessment-29/8/2013 SIR-23/9/2013 *The observation raised in the meeting of 13.09.2013. It was recommended for de-affiliation of even base unit. The representative/assessor of QCI should have seen the photograph of lathe machine attached with clarification before certifying, "that institute has rectify it". The QCI must ensure before forwarding such clarification. QCI to clarify.	
9 Classic Private ITI, Vikas Nagar Vistar, Bargadwa, Dist. Gorakhpur Uttar Pradesh DGET-6/24/29/2013-TC	Electrician	4(2+2)	4(2+2)	4(2+2)	Assessment-9/8/2013 SIR-23/9/2013 w.e.f. Aug 2013	
10 Panna Private ITI, Shahpur Road, Farah, Dist. Mathura Uttar Pradesh DGET-6/24/26/2013-TC	Electrician Fitter	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)	Assessment-23/7/2013 SIR-23/9/2013 w.e.f. Aug 2013 	

-2-

पी. एन. यादव/P. N. YADAV
संयुक्त निदेशक प्रशिक्षण/Joint Director Training
डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय
D.G.E.&T., Min. of Labour & Employment
भारत सरकार/Govt. of India


STATE: Uttar Pradesh



DATED: 26/09/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instit.	QCI	Approval by Sub-Committee of NCVT		
11	SushilVerma Memorial Private ITI, Pakadiyar Road Kaptanganj, Dist. Kushinagar Uttar Pradesh DGET-6/24/22/2013-TC	Fitter	6(2+2+2)	6(2+2+2)	*	Assessment-12/6/2013 SIR-24/9/2013 *The videography does not show assessor, then how it was indicate in forwarding letter that it was verified by the representative of QCI. QCI to clarify/ NCVT Sub-Committee.
	Electrician	6(2+2+2)	6(2+2+2)	*		
12	Rameshwar Singh Private ITI Tekari, Bemhrauli, Dist. Fatehpur Uttar Pradesh DGET-6/24/53/2013-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	Assessment-06/6/2013 SIR-24/9/2013 w.e.f. Aug 2013


पी. एन. यादव/P. N. YADAV
संयुक्त निदेशक प्रशिक्षण/Joint Director Training
डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय
D.G.E.&T., Min. of Labour & Employment
भारत सरकार/Govt. of India