

STATE: Uttar Pradesh



DATED: 13/09/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instit.	QCI	Approval by Sub-Committee of NCVT		
6 Bhoodev Private ITI, Tenti Gaon, Tehsil Mat, Dist. Mathura Uttar Pradesh DGET-6/24/24/2013-TC (New Pvt.)	Electrician	12(4+4+4)	12(4+4+4)	12(4+4+4)	Assessment-24/8/2013 w.e.f. Aug 2013	
	Fitter	6(2+2+2)	6(2+2+2)	6(2+2+2)		
7 Dhanraji Devi Yagya Narayan Private ITI, Nibaya Meja Road, Dist-Alahabad Uttar Pradesh DGET-6/24/393/2012-TC	Fitter	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 3(1+1+1)	Assessment-5/8/2013 w.e.f. Aug 2013	
	Electrician	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 3(1+1+1)		
8 Chandra Shekhar Private ITI, Village & Post. Jogirampuri, Najibabad Dist. Bijnor Uttar Pradesh DGET-6/24/19/2013-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	Assessment-20/7/2013 SIR-6/9/2013 w.e.f. Aug 2013	
	Fitter	2(1+1)	2(1+1)	2(1+1)		
9 Panna Private ITI, Shahpur Road, Farah, Dist. Mathura Uttar Pradesh DGET-6/24/26/2013-TC (New Pvt.)	Electrician	3(1+1+1)	3(1+1+1)	*	Assessment-23/7/2013 *Instructors photograph are manipulated in the CD enclosed. Principal is shown with machinery by manipulating the photographs. QCI may re-visit.	
	Fitter	3(1+1+1)	3(1+1+1)	*		

-2-

Signature
 Director, Training Officer
 DGET, Dist. Mathura/DGET, Dist. Alahabad
 Ministry of Labour & Employment
 Government of India
 New Delhi