



- Note: - 1. As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.
2. The Affiliation Granted Is Valid For Five Years.

NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report);							
Name, Address & File No. of Institute	Trade	Units for which affiliation sought / recommended by			Remarks		
		Instit.	QCI	Approval by Sub-Committee of NCVT			
5 Sardar Ballabh Bhai Patel Private ITI, Bangalipur, Rajatalab, Dist. Varanasi Uttar Pradesh DGET-6/24/13/2014-TC	Electrician Fitter	6(2+2+2) 6(2+2+2)	6(2+2+2) 6(2+2+2)	6(2+2+2) *Addl. 3(1+1+1) Total 6(2+2+2)	Assessment-09/02/2014 Assessment-20/06/2014 SIR-15/7/2014 w.e.f. Aug 2014 *Fitter -Addl. 3(1+1+1) units already affiliated.		
6 BTS Private ITI, NH-2, Gaushala Farm Road, Kosikalan Dist. Mathura Uttar Pradesh DGET-6/24/375/2012-TC	Electrician	Addl. 6(2+2+2)	Addl. 6(2+2+2)	Addl. 6(2+2+2) Total 12(4+4+4)	Assessment-15/6/2014 App001328 w.e.f. Aug 2014		
7 Ilza Siddique Private ITI, Taj Nagar Phase-1, Behind shilp Gram, Tajganj, Dist. Agar Uttar Pradesh DGET-6/24/43/2014-TC (New Pvt.)	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	Assessment-8/7/2014 App002164 w.e.f. Aug 2014		
8 Chaman Devi Para Medical Private ITI, Village Sadholi Hariya Tehsil. Rampur, Dist. Sharanpur Uttar Pradesh DGET-6/24/46/2014-TC (New Pvt.)	Health Sanitary Inspector	6(2+2+2)	6(2+2+2)	6(2+2+2)	Assessment-18/6/2014 App001160 w.e.f. Aug 2014		

-2-

संयुक्त निदेशक प्रशिक्षण
इन्जा सिद्दीकी (प्रा.) आई. टी. आर्. आर्.
ताजनगरी ताजगंज, अगारा

एस.सी. शर्मा/S.C. SHARMA
संयुक्त निदेशक प्रशिक्षण, Joint Director of In-
टी.जी.ई. एण्ड (एन.ई.) ऑन एव्. एम्प्लॉयमेंट
D.G.E.&T., Min. of Labour & Employment
भारत सरकार/Govt. of India
नई दिल्ली, New Delhi