

Speed Post

No. DGT-12/1/2018-TC (Part)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 9th August, 2019

To

The State Directors,
(Jharkhand, Kerala, Maharashtra, Tamil Nadu, Uttar Pradesh)

Subject: Affiliation of Units/Trades with NCVT in Spare Capacity of Polytechnic/ Engineering Colleges.

Sir,

The proposal of affiliation of trade(s)/Unit(s) with NCVT received along with recommendation of standing committee inspection reports from State Government and same scrutinized and approved for affiliation in 6th Recommendation Committee held on 31st July 2019.

2. The affiliation of the trades/units stated above are further subjected to,
 - Periodic verification.
 - The ITI must comply with NCVT norms/guidelines issued from time to time.
 - ITI must display the newly released logo of ITI on the Display Board at the main gate.
3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
4. In case of any discrepancy observed in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.
This issue with the approval of competent authority.

Yours Sincerely



(Sunil Kr. Gupta)
Director of Training

Copy along with enclosures for information to:

1. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.
2. Guard File



(Ravi Chilukoti)
Joint Director of Training



Skill India

कौशल भारत - कुशल भारत



Industrial Training Institute

DGT-12/1/2018-TC

STATE: Jharkhand

TOTAL: 01 (New -01)

Dated: 31.07.2019

**Affiliation of Trade/Units with NCVT in Spare Capacity
of Polytechnic/Engineering Colleges**

| S. No. | Name of ITI with address | New | Trade for which affiliation sought | Unit for affiliation sought/ Recommended by | | | Remarks |
|--------|---|-----|------------------------------------|--|---|---------------------------------------|--|
| | | | | Polytechnic running ITI in spare capacity proposed | Accredited by Joint Inspection Committee/ SCl/ State Director/ AICTE Representative | DGT Recommendation Committee Decision | |
| 1 | K.K. College of Engineering & Management, Govindpur, Dhanbad, Jharkhand | New | Electrician Fitter | 20(10+10) 20(10+10) | Not recommended by Joint Inspection committee | Not recommended | Not recommended due to not fully prepared to conduct joint inspection of AICTE & DGT for approval of NCVT courses. |

[Handwritten signature] 09/8/19



Skill India
कौशल भारत - कुशल भारत



DGT-12/1/2018-TC

STATE: Kerala

TOTAL: 02 (New -02)

Dated: 31.07.2019

**Affiliation of Trade/Units with NCVT in Spare Capacity
of Polytechnic/Engineering Colleges**

| S. No. | Name of ITI with address | New | Trade for which affiliation sought | Unit for affiliation sought/ Recommended by | | | Remarks |
|--------|--|----------|---|--|--|---------------------------------------|--|
| | | | | Polytechnic running ITI in spare capacity proposed | Accredited by Joint Inspection Committee/ SCII/ State Director/ AICTE Representative | DGT Recommendation Committee Decision | |
| 1 | Malabar Polytechnic Campus Cherpulassery PO, Ottappalam, Palakkad Distt. Kerala-679503 | New | *Mechanic Motor Vehicle | 1(1+0+0) | N.R | N.R | w.e.f. August, 2019 |
| | | | Information Technology and Electronics System Maintenance | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | *MMV not recommended due to Shortage of 80% Tools & Equipment and workshop area. |
| 2 | Seethi Sahib Memorial Polytechnic College, Malappuram Distt. Kerala | New | *Draughtsman Civil | 2(1+1+0) | N.R | N.R | w.e.f. August, 2019 *Draughtsman Civil, Surveyor, Mechanic Instrument, MRAC, MD, Welder & Plumber are not recommended due to Shortage of major equipment & space. |
| | | | *Surveyor | 2(1+1+0) | N.R | N.R | |
| | | | Electrician | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | |
| | | | *Mechanic Instrument | 2(1+1+0) | N.R | N.R | |
| | | | *Mechanical Refrigeration & Air conditioner | 2(1+1+0) | N.R | N.R | |
| | | | *Mechanic Diesel | 2(1+1+0) | N.R | N.R | |
| | | | *Welder | 2(1+1+0) | N.R | N.R | |
| | | | *Plumber | 2(1+1+0) | N.R | N.R | |
| COPA | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | | | | |

Sumit Kumar
09/08/19



Skill India
कौशल भारत - कुशल भारत



DGT-12/1/2018-TC

STATE: Maharashtra
TOTAL: 03 (New -03)

Dated: 31.07.2019

**Affiliation of Trade/Units with NCVT in Spare Capacity
of Polytechnic/Engineering Colleges**

| S. No. | Name of ITI with address | New | Trade for which affiliation sought | Unit for affiliation sought/ Recommended by | | | Remarks |
|--------|--|-----|---|--|---|---------------------------------------|--|
| | | | | Polytechnic running ITI in spare capacity proposed | Accredited by Joint Inspection Committee/ SCI/ State Director/ AICTE Representative | DGT Recommendation Committee Decision | |
| 1 | Vidya Vikas Pratishthan Polytechnic Solapur, Gat No. 72/2 B, Pratapnagar Soregaon Dongaon Road, Soregaon, Solapur-413008 | New | Draughtsman Mechanical | 2(0+1+1) | 2(0+1+1) | 2(0+1+1) | w.e.f. August, 2019 *MRAC not recommended due to shortage of Machinery, equipment & Tools |
| | | | Draughtsman Civil | 2(0+1+1) | 2(0+1+1) | 2(0+1+1) | |
| | | | *Mechanic Refrigeration and Air Conditioner | 2(0+1+1) | N.R | N.R | |
| 2 | Y.D. Mane Institute of Technology, Kagal 426/5, Near Alka Sheti Farm, Kagal-Sangaon Road, Kagal. Pin code 416216 | New | Draftman Civil | 2(0+1+1) | 2(0+1+1) | 2(0+1+1) | w.e.f. August, 2019 |
| | | | Fitter | 2(0+1+1) | 2(0+1+1) | 2(0+1+1) | |
| | | | Electrician | 2(0+1+1) | 2(0+1+1) | 2(0+1+1) | |
| 3 | Nagnathappa Halge Private ITI, Parli Vaijnath taluk: parli Vaijnath Dist. Beed, maharashtra, Pin code 431530 | New | Electrician | 2(1+1+0) | 2(1+1+0) | NOC not received from AICTE | NOC not received from AICTE |
| | | | Welder | 2(1+1+0) | 2(1+1+0) | | |
| | | | Fitter | 2(1+1+0) | N.R | | |
| | | | Wireman | 2(1+1+0) | N.R | | |
| | | | Desktop Publishing Operator | 2(1+1+0) | 2(1+1+0) | | |
| | | | Electronic Mechanic | 2(1+1+0) | N.R | | |

Signature 09/08/19



Skill India

कौशल भारत - कुशल भारत



Industrial Training Institute

DGT-12/1/2018-TC

STATE: Tamilnadu

TOTAL: 11 (New -11)

Dated: 31.07.2019

**Affiliation of Trade/Units with NCVT in Spare Capacity
of Polytechnic/Engineering Colleges**

| S. No. | Name of ITI with address | New | Trade for which affiliation sought | Unit for affiliation sought/ Recommended by | | | Remarks |
|--------|---|-----|------------------------------------|--|---|---------------------------------------|---------------------|
| | | | | Polytechnic running ITI in spare capacity proposed | Accredited by Joint Inspection Committee/ SCI/ State Director/ AICTE Representative | DGT Recommendation Committee Decision | |
| 1 | Varadharajan Polytechnic College, Varisaipatti, Kelamathur Post, Alathur(Tk), Perambalur Distt. - 6211713 | New | Electrician | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | w.e.f. August, 2019 |
| | | | Fitter | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | |
| | | | Welder | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | |
| | | | Mechanic Diesel | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | |
| 2 | Rajagopal Polytechnic College, Katpadi Road, Gandhinagar, Gudiyattam-632602, Vellore Distt. Tamil Nadu | New | Fitter | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | w.e.f. August, 2019 |
| | | | Mechinist | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | |
| | | | Mechanic Motor Vehicle | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | |
| | | | Electrician | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | |
| | | | Electronic Mechanic | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | |
| | | | Surveyor | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | |
| 3 | Sri Balamurugan industrial Institute, Nagoor Pirivu, Thalaisyuthu(Post), Palani 624618.Tamil nadu | New | Wireman | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | w.e.f. August, 2019 |
| | | | Fitter | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | |
| | | | *Welder | 1(0+1+0) | N.R | N.R | |

Sumit Kumar 08/08/19



Skill India
कौशल भारत - कुशल भारत



DGT-12/1/2018-TC

STATE: Tamilnadu

TOTAL: 11 (New -11)

Dated: 31.07.2019

**Affiliation of Trade/Units with NCVT in Spare Capacity
of Polytechnic/Engineering Colleges**

| S. No. | Name of ITI with address | New | Trade for which affiliation sought | Unit for affiliation sought/ Recommended by | | | Remarks |
|--------|---|-----|---|--|---|---------------------------------------|--|
| | | | | Polytechnic running ITI in spare capacity proposed | Accredited by Joint Inspection Committee/ SCI/ State Director/ AICTE Representative | DGT Recommendation Committee Decision | |
| 4 | Excel Private ITI, Kuttikinathoor Road pallakapalayam, Sankari West-Post, Komarapalayam, Taluk, Namakkal Dist. Tamil Nadu | New | Plumber | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | w.e.f. August, 2019 *Welder & MRAC are not recommended due to Huge shortage of Machinery. |
| | | | Electrician | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | |
| | | | *Welder | 1(1+0+0) | N. R | N. R | |
| | | | *Mechanic (Refrigeration & Air Conditioner) | 1(1+0+0) | N. R | N. R | |
| 5 | 865, Tirumala Polytechnic College Pvt. ITI, Nallan Pillai Petrai Village, Pallikondapattu Post. Tiruvannamalai, Tamil Nadu 606611 | New | Electrician | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | w.e.f. August, 2019 |
| | | | Welder | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | |
| | | | Mechanic Motor Vehicle | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | |
| | | | Plumber | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | |
| 6 | SSR ITI, Kandeduthanpatti, Sundarasolapuram(P O), Ponnaramaathy (TK), Pudukkottai(DT). 622402 | New | Desktop Publishing Operator | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | w.e.f. August, 2019 |
| | | | Electrician | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | |
| | | | Fitter | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | |
| 7 | Dusi ITI, Dusi Village & Post, Venbakkam Taluk, Tiruvannamalai Distt. 631702 | New | Draughtsman Civil | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | w.e.f. August, 2019 |
| | | | Fitter | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | |
| | | | Welder | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | |
| | | | Electrician | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | |

Sumit

28/07/19



Skill India
कौशल भारत - कुशल भारत



DGT-12/1/2018-TC

STATE: Tamilnadu
TOTAL: 11 (New -11)

Dated: 31.07.2019

**Affiliation of Trade/Units with NCVT in Spare Capacity
of Polytechnic/Engineering Colleges**

| S. No. | Name of ITI with address | New | Trade for which affiliation sought | Unit for affiliation sought/ Recommended by | | | Remarks |
|--------|--|-----|--|--|---|---------------------------------------|---|
| | | | | Polytechnic running ITI in spare capacity proposed | Accredited by Joint Inspection Committee/ SCI/ State Director/ AICTE Representative | DGT Recommendation Committee Decision | |
| 8 | Sri Andal Nachiyar ITI, Ethilappanayakkanpatti Villegge Ettayapuram Taluk tuticorin Dist. 628908 ,Tamil Nadu | New | Electrician | 2(0+2+0) | 2(0+2+0) | 2(0+2+0) | w.e.f. August, 2019 |
| | | | *Mechanic Diesel | 2(1+1+0) | N.R | N.R | *Mechanical Diesel not recommended due to shortage of Machinery old and not functioning |
| 9 | Jeya ITI Tuticorin, Sawyarpuram, Tuticorin Dist. 628251, tamil Nadu | New | Electrician | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | w.e.f. August, 2019 |
| | | | Fitter | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | |
| 10 | K.S. Rangasamy Institute of Technolgy KSR Kalvi Nagar, Tiruchengoge, Tamil Nadu | New | Draughtsman Civil | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | w.e.f. August, 2019 |
| | | | Mechanic Refrigeration & Air Conditioner | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | |
| | | | Wireman | 2(1+1+0) | 2(1+1+0) | 2(1+1+0) | |
| 11 | MIT ITI, Mettur Dam Salem Distt., TamilNadu 636452 | New | *Wireman | 1(0+1+0) | N.R | N.R | w.e.f. August, 2019 |
| | | | Electrician | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | |
| | | | *Welder | 1(0+1+0) | N.R | N.R | *Wireman & Welder are not recommended due to shortage of Machinery & Equipment. |
| | | | Surveyor | 1(0+1+0) | 1(0+1+0) | 1(0+1+0) | |

Sunil Kumar

09/08/19



Skill India
कौशल भारत - कुशल भारत



Industrial Training Institute

DGT-12/1/2018-TC

STATE: Uttar Pradesh
TOTAL: 10 (New -10)

Dated: 31.07.2019

**Affiliation of Trade/Units with NCVT in Spare Capacity
of Polytechnic/Engineering Colleges**

| S. No. | Name of ITI with address | New | Trade for which affiliation sought | Unit for affiliation sought/ Recommended by | | | Remarks |
|--------|---|-----|------------------------------------|--|---|---------------------------------------|---|
| | | | | Polytechnic running ITI in spare capacity proposed | Accredited by Joint Inspection Committee/ SCI/ State Director/ AICTE Representative | DGT Recommendation Committee Decision | |
| 1 | Seth Vishambhar nath Institute of Engineering & Technology, 19th Km mile Stone Daniyal pur, Safedabad, barabanki 225003 | New | Fitter | 3(1+1+1) | 3(1+1+1) | 3(1+1+1) | w.e.f. August, 2019 |
| | | | Electrician | 3(1+1+1) | 3(1+1+1) | 3(1+1+1) | |
| | | | Draghtsman Civil | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | |
| | | | COPA | 1(1+0+0) | 1(1+0+0) | 1(1+0+0) | |
| 2 | Emerald-9 Institute of Management & Technology, Vill. Khazoorgaon, Post Tindola, Block Dewa, Chinhhat Dewa Road, Barabanki 225003 | New | Fitter | 6(2+2+2) | 6(2+2+2) | 6(2+2+2) | w.e.f. August, 2019 *Wireman & SSA Hindi are not recommended due to shortage of Tools & Machinery. |
| | | | Electrician | 6(2+2+2) | 6(2+2+2) | 6(2+2+2) | |
| | | | Mechanic Diesel Engine | 6(2+2+2) | 3(1+1+1) | 3(1+1+1) | |
| | | | Draughtsman Civil | 3(1+1+1) | 3(1+1+1) | 3(1+1+1) | |
| | | | *Wireman | 3(1+1+1) | N.R | N.R | |
| | | | *SSA Hindi | 3(1+1+1) | N.R | N.R | |
| 3 | LDC Institute of technical Studies 22 Milestone, Allahabad Pratapgarh Road, Soraon, Prayagaj- 212501 | New | Electrician | 6(2+2+2) | 6(2+2+2) | 6(2+2+2) | w.e.f. August, 2019 |
| | | | Fitter | 6(2+2+2) | 6(2+2+2) | 6(2+2+2) | |
| | | | Welder | 6(2+2+2) | 6(2+2+2) | 6(2+2+2) | |
| | | | COPA | 6(2+2+2) | 6(2+2+2) | 6(2+2+2) | |

Sumitran *08/08/19*



Skill India
कौशल भारत - कुशल भारत



DGT-12/1/2018-TC

STATE: Uttar Pradesh
TOTAL: 10 (New -10)

Dated: 31.07.2019

**Affiliation of Trade/Units with NCVT in Spare Capacity
of Polytechnic/Engineering Colleges**

| S. No. | Name of ITI with address | New | Trade for which affiliation sought | Unit for affiliation sought/ Recommended by | | | Remarks |
|--------|---|-----|--|--|---|---------------------------------------|---|
| | | | | Polytechnic running ITI in spare capacity proposed | Accredited by Joint Inspection Committee/ SCI/ State Director/ AICTE Representative | DGT Recommendation Committee Decision | |
| 4 | Jahangirabad Institute of Technology for Polytechnic | New | Fitter | 2(1+1) | 2(1+1) | 2(1+1) | w.e.f. August, 2019 *Shortage of Tools, Equipment & Machinery in 3 Trades |
| | | | Electrician | 2(1+1) | 2(1+1) | 2(1+1) | |
| | | | Draughtsman Civil | 2(1+1) | 2(1+1) | 2(1+1) | |
| | | | Welder | 2(1+1) | 2(1+1) | 2(1+1) | |
| | | | Digital Photographer | 2(1+1) | 2(1+1) | 2(1+1) | |
| | | | Multimedia & Animation & Special Effect | 2(1+1) | 2(1+1) | 2(1+1) | |
| | | | *Information Technology | 2(1+1) | N.R | N.R | |
| | | | *Computer Hardware & Network Maintenance | 2(1+1) | N.R | N.R | |
| 5 | Gyan Bharti Institute of Technology, NH-58, Partapur By Pass Road, Opp. Ansal Sushant City, Meerut, UP-250002 | New | COPA | 2(1+1) | 2(1+1) | 2(1+1) | w.e.f. August, 2019 *Shortage of tools & equipment in Fitter trade |
| | | | *Fitter | 2(1+1) | N.R | N.R | |
| 6 | K S ITI, Shamli, Karodi Road Near Choudhary Talkies Shamli, Dist. Shamli, Uttar pradesh 247776 | New | *Electrician | 4(2+2) | N.R | N.R | w.e.f. August, 2019 *Electrician not recommended due to Electric load not sufficient |
| | | | Fitter | 4(2+2) | 4(2+2) | 4(2+2) | |

Sanjiv Kumar

09/8/19



Skill India

कौशल भारत - कुशल भारत



Industrial Training Institute

DGT-12/1/2018-TC

STATE: Uttar Pradesh

TOTAL: 10 (New -10)

Dated: 31.07.2019

**Affiliation of Trade/Units with NCVT in Spare Capacity
of Polytechnic/Engineering Colleges**

| S. No. | Name of ITI with address | New | Trade for which affiliation sought | Unit for affiliation sought/ Recommended by | | | Remarks |
|--------|--|-----|---|--|---|--|---------------------|
| | | | | Polytechnic running ITI in spare capacity proposed | Accredited by Joint Inspection Committee/ SCI/ State Director/ AICTE Representative | DGT Recommendation Committee Decision | |
| 7 | Infinity Pvt. ITI, Opp. Radhaswami Satsang Bhawan, Muzaffarnagar road, Deoband, Dist. Saharapur, U.P 247554 | New | Electrician Fitter Physiotherapy Technician Radiology Technician | 12(4+4+4) 6(2+2+2) 2(2+2+2) 2(2+2+2) | 12(4+4+4) 6(2+2+2) 2(2+2+2) 2(2+2+2) | 12(4+4+4) 6(2+2+2) 2(2+2+2) 2(2+2+2) | w.e.f. August, 2019 |
| 8 | Swami Kalyan Dev ITI, Behra Sadat, Muzaffarnagar, Under Pitam Singh Siksha Parsar Samiti, Vill-Behra Sadat, Post- Kakroli, Distt. Muzaffarnagar, U.P-251316 | New | Electrician Fitter | 4(2+2+0) 4(2+2+0) | 4(2+2+0) 4(2+2+0) | 4(2+2+0) 4(2+2+0) | w.e.f. August, 2019 |
| 9 | Shiva Polytechnic Institute & Managemant College, Jolly Road, Bilaspur, Muzaffarnagar, Under Shaiva Cheritable Trust, Vill. Kukra, Post New Mandi Distt. Muzaffarnagar, U.P 251001 | New | Electrician Fitter COPA Fashion Technology | 3(1+1+1) 3(1+1+1) 2(1+1+0) 2(1+1+0) | 3(1+1+1) 3(1+1+1) 2(1+1+0) 2(1+1+0) | 3(1+1+1) 3(1+1+1) 2(1+1+0) 2(1+1+0) | w.e.f. August, 2019 |
| 10 | Shri Ram Polytechnic 4th KM Stone, Roorkee Road, Muzaffarnagar- 251001 | New | Electrician Fitter Machinist Turner Welder | 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) | 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) | 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) | w.e.f. August, 2019 |

Sumit

30/8/19