

Speed Post

No. DGT-12/1/2018-TC (Part)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Post, New Delhi,
Dated: 30th August, 2019

To

The State Directors,

(Andhra Pradesh, Bihar, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Maharashtra,
Madhya Pradesh, Rajasthan, Tamil Nadu, Telangana, Uttarakhand, Uttar Pradesh)


Subject: Affiliation of Units/Trades of Govt./Pvt. ITIs with NCVT.

Sir,

The proposals of affiliation of trade(s)/Unit(s) with NCVT received along with recommendation of standing committee inspection reports from the respective State Government. These were scrutinized and put up before the members of the Recommendation Committee of Directorate General of Training (DGT) dealing with affiliation of ITIs in its meeting held on 27th August, 2019 at DGT, MSDE, New Delhi for its consideration and approval.

2. The Recommendation Committee of DGT examined affiliation proposals and accorded approval to the proposals conforming to the NCVT Norms, as per the list enclosed herewith.
3. The affiliation of the trade(s)/unit(s) stated above are further subjected to,
 - Periodic verification.
 - The ITI must comply with NCVT norms/guidelines issued from time to time.
 - ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. In case of any discrepancy observed in the affiliation order, same may be intimated to Undersigned within 15 days after the date of issue of order.

Yours Sincerely




(Sunil Kr. Gupta)

Director of Training

Copy along with enclosures for information to:

1. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.
2. Guard File.


(Uttam Singh) 30/8/19
Training Officer



Skill India
कौशल भारत - कुशल भारत



DGT-12/1/2018-TC

Meeting Date: 27.08.2019

State: Uttar Pradesh

Total 136 (New-90, Old-46)

Affiliation Trade/Units with NCVT

S. No.	Name of ITI with address	Existing /New	MIS CODE	Trade for which affiliation sought	Unit for affiliation sought/ Recommended by			Remarks
					ITI proposed	Trade/Units Recommended by SC/State	Trade/Units Approved by DGT Recommendation Committee	
21	Gaush Private ITI, Ram Nagar, Amarnagar, Aodhya, U.P - 224121	New		Electrician	12(4+4+4)	10(4+4+2)	10(4+4+2)	w.e.f. August, 2019 (Units reduced due to Test & Units reduced due to Test &)
				Fitter	3(1+1+1)	2(1+1+0)	2(1+1+0)	
				Drayhtsman Civil	3(1+1+1)	2(1+1+0)	2(1+1+0)	
				COPA	3(1+1+1)	2(1+1+1)	3(1+1+1)	
22	Shree Deshpandya Choudhary Pvt. ITI, Laltour, U.P.	New		Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	w.e.f. August, 2019
				Fitter	6(2+2+2)	6(2+2+2)	6(2+2+2)	
				Sacro (Hndi)	3(1+1+1)	3(1+1+1)	3(1+1+1)	
				COPA	3(1+1+1)	3(1+1+1)	3(1+1+1)	
23	Shri Kumar San Sharma Pvt. ITI, Haridwar, Aodhya, U.P. 212123	Existing	PR03021257	Electrician	Adcl. 24(8+8+8)	Adcl. 18(6+6+6) Total: 30(10+10+10)	Not recommended	Not Recommended due non submission of Principal documents in the Report & Electric load required 38.22 Kw and available 25 Kw
24	Omkar Pvt. ITI, Village & Post- Samardha, Dist- Aodhya, U.P.	New		Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	w.e.f. August, 2019
				Fitter	3(1+1+1)	3(1+1+1)	3(1+1+1)	
				Architectural Assistant	3(1+1+1)	3(1+1+1)	3(1+1+1)	
				COPA	3(1+1+1)	3(1+1+1)	3(1+1+1)	
25	Sri Panchal Memorial Pvt. ITI College, VPS- Jamnagar, Twa- Sadat, Dist- Faridkotad- 203739, UP	New		Electrician	3(1+1+1)	2(1+1+0)	2(1+1+0)	w.e.f. August, 2019 * Sewing Technology (HIS) are not recommended due to non quality of workshop & shortage in T.E. Units reduced in Electronics Fitter due to shortage in Test Kit
				Fitter	3(1+1+1)	2(1+1+0)	2(1+1+0)	
				Sewing Technology	3(1+1+1)	N.R.	N.R.	
				Health Sanitary Inspector	3(1+1+1)	N.R.	N.R.	

Uttam
30/08/19

Sumitran
30/08/19

E-71281

DGT-Aff011/5/2025-O/o DIR (TC)

Government of India/भारत सरकार

Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय

Directorate General of Training/प्रशिक्षण महानिदेशालय

Kaushal Bhawan, New Moti Bagh
Chanakypuri, New Delhi- 110023

Date:05.06.2025

To

1. The State Directors

Bihar, Chhattisgarh, Goa, Gujarat, Haryana, Jammu & Kashmir, Jharkhand, Karnataka, Madhya Pradesh, Maharashtra, Rajasthan, Telangana, Uttar Pradesh, West Bengal

2. The Regional Directors, RDSDEs

Bihar, Chhattisgarh, Goa, Gujarat, Haryana, Jammu & Kashmir, Jharkhand, Karnataka, Madhya Pradesh, Maharashtra, Rajasthan, Telangana, Uttar Pradesh, West Bengal

Subject: Minutes of the 21st Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 28.04.2025 - regarding.

Madam/Sir,

Please find enclosed approved Minutes of 21st Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 28.04.2025. However, implementation orders agenda item wise will be issued in due course of time.

Further, compliance reports, if any, have to be submitted through the NIMI compliance module only as per OM DGT-11014/2/2023-TC SECTION dated 26.06.2023 within the stipulated time limit as per the SCAA remarks.

Any grievances regarding the decisions outlined in this minute may be raised through the portal within 30 days from the date of issue of this minute. Grievances submitted after this period will not be considered.

This issues with the approval of Competent Authority.

Yours faithfully,

(Ujjwal Biswas/ उज्जवल बिस्वास)

Director - TC/ निदेशक - टीसी

Copy to:

1. Sr PPS to DG/AS, DGT, Delhi
2. PPS to DDG (HQ), PPS to DDG (South), PPS to DDG (East).
3. DGT MIS Portal in charge, DGT HQ, New Delhi, with a request to upload MoM on DGT MIS Portal.

पूजा वर्मा, उपायुक्त/ Pooja Verma, ADD
उप निदेशक/ Deputy Director
टी सी (अनुमति) विभाग- TC Section
भारत सरकार, Govt of India
निदेशक प्रशिक्षण, Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship

(Pooja Verma/ पूजा वर्मा)
Deputy Director - TC/ टीसी-उप निदेशक

Name of the State: Uttar Pradesh

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
1.	Shri Deepchandra Choudhary Pvt ITI Address: 26- National Highway, Sagar Road, Lalitpur, UP. MIS Code: PR09901331 Grading: 6.60	Electrician - 6(2+2+2)	<u>19th SCAA Remarks</u> Applicant institute needs to remove the following deficiency and submit the documents to the concerned State within 30 days from the date of issue of this minute through NIMI compliance portal: 1. BCC is not as per norms (for BCC please refer the page number 108 of affiliation norms 2018) 2. Staff appointment, qualification and experience details not provided Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.	State Remark BCC is attached. 2. Trade-wise Instructor appointment and experience details have been uploaded by the applicant. 3. Staff appointment, qualification, and experience details have been uploaded by the applicant. As per provided documents by the institute the mentioned compliance has been resolved by the respective institute.	SCAA recommended the following trades: Electrician - 4(2+2)
2.	Maan Tilesara Devi Private Industrial Training Institute, Ambedkar Nagar	1. Electrician - 6(2+2+2) 2. Fitter - 2(1+1)	<u>19th SCAA Remarks</u> Applicant institute needs to remove the following deficiency and submit the documents to the concerned State	1. Electricity Load has been updated by the applicant. Required - 18.21 KW Available- 19 KW.	SCAA recommended the following trades: 1. Electrician - 4(2+2) 2. Fitter - 2(1+1)

Page 96 of 214

Annexure-2

