

DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 18th February, 2021

To,

All the State Directors (dealing with Affiliation)

Subject:- Minutes of Meeting of 21st Recommendation Committee Meeting

Sir/Madam

Please find enclosed herewith the approved Minutes of Meeting along with Annexure of 21st Recommendation Committee held on 9th February, 2021. However implementation orders agenda item wise will be issued in due course of time.

This issue with the approval of competent authority, DGT

Yours faithfully,


(Sunil Kumar Gupta)
Director of Training

Copy to:-

1. Sr PPS to DG/AS, DGT, New Delhi
2. Sr. PPS to DDG, DGT, New Delhi
3. All RDSDEs


18/2/2021
(Ravi Chilukoti)
Joint Director of Training

Draft Minutes of 21st Meeting of 'Recommendation Committee DGT' dealing with Affiliation of ITIs held on 9th February, 2021 at 11:00 Hrs through Video conference

Representation from IGT	Representation from States
Shri. Neelajit Ghosh, Joint Director, General Shri. Sandhya Jaiswal, Deputy Director General Shri. Som Prakash, Director DGT, H.W. Division, Jharkhand Shri. M. S. Prasad, Dy. Director Shri. Anand Kumar, Asst. Director Shri. Anand Kumar, JTA	Shri. G. P. Pantya, Director, Gujarat Shri. Ranjita, Commissioner, Bihar Shri. Nikhil Chandra, Director, Himachal Pradesh Shri. Anandya Kumar, Sharan, Director, Chhattisgarh Shri. Krishnappa, Director, Karnataka Shri. M. K. Verma, Director, Rajasthan Shri. Rajendra Singh, Kalyanika, Director, Madhya Pradesh Shri. Nishi, Director, Telangana Shri. Rishu G., Director, Odisha Shri. Kumar, Suresh Ch, Director, Punjab Shri. Rajan Kumar, Additional Director, Tamil Nadu Shri. Nagesh B., Director, Telangana Shri. Satish Sharma J., Director, Haryana Shri. Tapan Vyas, Dy. Director, Gujarat Shri. Nishi Nilaya, Assistant Director, DVET, Maharashtra Shri. Kumar Vikas Rishi, Asst. Director, Bihar Shri. Sumit Dewangan, Training Officer, Chhattisgarh

At the outset, Shri. Sumit Kumar Gupta, Director welcomed all the committee members. The Chairman of the Recommendation Committee took the agenda points wise in the agenda discussions. The details of the discussions, deliberations and agenda wise decisions in the meeting are as appended below.

The JGTI agreed that the agenda to be scrutinised as per the protocol of apex committee of IGTI.

Agenda No. 21.1: Affiliation of ITIs

21.1.1 New ITI proposals

IGTI received 6 proposals from 5 states as given below:-

It was agreed to be recommendation of the committee is as follows:-

Sr. No.	ITI Name /MISC Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SGT	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Rangra Private Institute (RTPM) Rangra, Jharkhand Rangra Knowledge City, Jharkhand RTPM	Block chain Filter Computer Automation and Programming	16(11+8+11) 0(2+4+0) 10(8+2+0)	Not Recommended	Not recommended	Rejected As not recommended by the State Director due to shortage of machines. minx

Sumit

CS

Department	Position (CMA) / Work	11/8/2021			equipment and staff availability
<p>1. Hospital Housekeeping</p> <p>2. Hospital Laundry</p> <p>3. Hospital Linen</p> <p>4. Hospital Waste Management</p> <p>5. Hospital Infection Control</p>	<p>Hospital Housekeeping Health Sanitary Inspector</p> <p>Computer Operator Programmer Assistant (CMA)</p> <p>Old Age Care</p>	<p>2(1+1+1)</p> <p>0(2+2+2)</p> <p>2(1+1+1)</p> <p>1</p> <p>1</p>	<p>2(1+1+1)</p> <p>1</p> <p>2(1+1+1)</p> <p>1</p> <p>2(1+1+1)</p>	<p>Recommended with reduced rates</p> <p>Available until 15/11/21</p> <p>required 18.45 KW</p> <p>Hospital Housekeeping 4(1+1)</p> <p>Health Sanitary Inspector 2(1+1)</p> <p>Computer Operator and Programming Assistant (CMA) 2(1+1)</p> <p>Old Age Care 2(1+1)</p>	<p>Recommended</p> <p>Hospital Housekeeping 2(1+1)</p> <p>Health Sanitary Inspector 2(1+1)</p> <p>Computer Operator and Programming Assistant (CMA) 2(1+1)</p> <p>Old Age Care 2(1+1)</p> <p>IT needs to furnish the details of IT trained contractors within 15 days from the issue of allocation order</p>
<p>6. Hospital Electrical</p> <p>7. Hospital Plumbing</p> <p>8. Hospital Mechanical</p> <p>9. Hospital Fire Alarm</p> <p>10. Hospital Lift</p> <p>11. Hospital Gas</p> <p>12. Hospital Air Conditioning</p>	<p>Electrician</p> <p>Plumber</p> <p>Welder</p> <p>CMA</p> <p>Welder</p> <p>Architectural Draughtsman</p>	<p>2(1+1)</p> <p>2(1+1)</p> <p>2(1+1)</p> <p>2(1+1)</p> <p>2(1+1)</p> <p>2(1+1)</p>	<p>2(1+1)</p> <p>2(1+1)</p> <p>2(1+1)</p> <p>2(1+1)</p> <p>2(1+1)</p> <p>2(1+1)</p>	<p>Recommended</p>	<p>Recommended</p> <p>Electrician 2(1+1)</p> <p>Plumber 2(1+1)</p> <p>Welder 2(1+1)</p> <p>CMA 2(1+1)</p> <p>Welder 2(1+1)</p> <p>Architectural Draughtsman 2(1+1)</p> <p>IT needs to furnish the details of IT trained contractors within 15 days from the issue of allocation order</p>
<p>13. Hospital Electrical</p> <p>14. Hospital Plumbing</p> <p>15. Hospital Mechanical</p> <p>16. Hospital Fire Alarm</p> <p>17. Hospital Lift</p> <p>18. Hospital Gas</p> <p>19. Hospital Air Conditioning</p>	<p>Electrician</p> <p>Plumber</p> <p>Mechanical (HSE)</p> <p>Welder</p>	<p>2(1+1)</p> <p>2(1+1)</p> <p>2(1+1)</p> <p>2(1+1)</p>	<p>NOC</p>	<p>Not Recommended</p> <p>Due to shortfall of tool and equipment by 40 % and no maintenance of staff.</p>	<p>Not recommended since not recommended by the staff due to shortage of Tool and Equipment</p>
<p>20. Hospital Electrical</p> <p>21. Hospital Plumbing</p> <p>22. Hospital Mechanical</p> <p>23. Hospital Fire Alarm</p> <p>24. Hospital Lift</p> <p>25. Hospital Gas</p> <p>26. Hospital Air Conditioning</p>	<p>Electrician</p> <p>Plumber</p> <p>Physiotherapy Technician</p>	<p>2(2+2+2)</p> <p>0(2+2+2)</p> <p>1(2+2+2)</p>	<p>0(2+2+2)</p> <p>1</p> <p>0(2+2+2)</p>	<p>Recommended with reduced rates for 1st and 2nd shift</p>	<p>Deferred since the 01/11/21 meeting was not present in the meeting.</p>

Smith

JP

<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p> <p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p> <p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>	<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>	<p>1(2+2+0)</p>	<p>4(2+2+0)</p> <p>4(2+2+0)</p>	<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p> <p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p> <p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>	
<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>	<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>	<p>3(1+1+1)</p> <p>3(1+1+1)</p> <p>5(1+1+1)</p> <p>2(1+1+1)</p>	<p>4(1+1+1)</p> <p>4(1+1+1)</p> <p>4(1+1+1)</p> <p>4(1+1+1)</p> <p>4(1+1+1)</p>	<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>	<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>

2.1.3 Existing ITIs seeking Affiliation for Extension of Trades/Units:
 We received 24 proposals from 8 shops as given below:

The application/ITIs/extension of the trades/units is follows:

No	ITIs Name /Miscellaneous/Trade/Shop Number	Trades/Units sought for Affiliation	ITIs Proposed Units	Units recommended by SGI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p> <p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>	<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>	<p>4(2+2)</p>	<p>4(2+2)</p>	<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p> <p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p> <p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>	<p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p> <p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p> <p>වර්තමාන විදුලි බලාපොරොත්තු සැපයීමේ තත්වය</p>

Smith

W.D.