

Through E-Mail  
E-file No.: 54488

**DGT-Aff011(51)/26/2022 TC SECTION**  
Government of India  
Ministry of Skill Development and Entrepreneurship  
Directorate General of Training

Employment Exchange Building,  
1st floor, Pusa, New Delhi,

**Dated: 15.10.2022**

To

The State Directorate  
Bihar, Maharashtra, Uttar Pradesh

**Subject: Affiliation of Trades/Units of Govt./Pvt ITI with NCVT- Reg.**

Based on the compliance report received and the decision taken on e-file, details of trades/units Recommended by competent authority is given in the attached list. The affiliation is valid for five years from the date of issue of this order.

2. Affiliation of Trade/Units stated above are further subjected to,


- (i) The DGT & State officer can inspect the ITI any time for better performance & training
- (ii) Periodic verification.
- (iii) The ITI must comply with DGT norms/guidelines issued from time to time.
- (iv) ITI must display the newly released logo of ITI on the Display Board at the main gate.

3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.

4. Affiliation of Trades/Units mentioned in this order valid for five years thereafter ITI should apply for "Renewal of Affiliation" as per DGT Norms.

5. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.


Yours faithfully



(Ujjwal Biswas)  
Director of TC

Copy along with enclosures for Information to:

1. Sr PPS to Chairman Standing Committee on Accreditation and Affiliation (SCAA)-DGT.
2. Sr PPS to DDG (Affiliation),
3. The officer dealing with NCVT MIS: - To please upload the order on NCVT MIS portal



(Pooja Verma)  
Assistant Director of TC

STATE Uttar Pradesh

Total - 09, (New-04, Existing-05)

Sl. No.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
	Shri Keshar Singh Memorial Pvt ITI, Phulwana Road, Bhatpattani Dist: Deoria TMPOLD316 MSTI	New	Electrician	2(1+1)	2(1+1)	Recommended: 1. Electrician - 2 (1-1) 2. Fitter - 2 (1+1)
			Fitter	2(1+1)	2(1+1)	
2.	Rajesh Kumar Sadhna Devi Private ITC - Etah, Dhumari Etah-207248 MIS CODE: PR09000673	Existing	COPA	3(1+1+1)	2(1+1)	Recommended: 1. COPA-2(1+1) 2. Health Sanitary Inspector-2(1+1)
			Electrician	12(4+4+4)	NR*	
			Health Sanitary Inspector	3(1+1+1)	2(1+1)	
3.	Smt Vidyawati Industrial Training Centre - Jhansi, Gora Maehhiya Post Baragaon, Kanpur Road, Jhansi-284121 MIS CODE: PU09001617	Existing	COPA	3(1+1+1)	2(1+1)	Recommended: 1. COPA-2 (1+1) 2. Electrician-2 (1+1)
			Electrician	4(1+1+2)	2(1+1)	

*[Handwritten signature]*

*[Handwritten signature]*

\* Not Recommended: