प्रशिक्षण निवेशालय, उ०प्र0 रोजगार भवन, गुरू गोविन्द सिंह मार्ग, पत्रांकः /टी-3/रा०प०/सं०/22वीं बैठक/2025, लखनऊ, दिनांक ४५, जुलाई, 2025

निदेशक(प्रशिक्षण), कौशल विकास एवं उद्यमशीलता मंत्रालय, प्रशिक्षण महानिदेशालय, भारत सरकार, कौशल भवन, न्यू मोती बाग, चाणक्यपुरी, नई दिल्ली के एत्र शुंख्या-DGT-Aff011/1/2025-O/o DIR(TC) [E-72107], विनांक-03.07.2025, जो Minutes of 22th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on 16.06.2025 के द्वारा 3050 राज्य के कुल 10(08 नवीन एंव 02 पूर्व से संचालित) संस्थानों की मान्यता/सीटवृद्धि की सम्बद्धता हेतु आदेश निर्गत किये गये है, की प्रति निम्नलिखित को इस निर्देश के साथ पृष्ठांकित की जा रही है कि पत्र में वर्णित विशा-निर्देशों का उत्तुपालन किया जाना सुनिश्चित करें।

- क्षेत्रीय निदेशक, क्षेत्रीय कौशल विकास एवं उद्यमशीलता निदेशालय, एन०एस०टी०आई० परिसर, गोविन्द नगर, उद्योग नगर, कानपुर को सूचनार्थ एवं आवश्यक कार्यवाठी हेतु प्रेषित।
- 2. संयुक्त निदेशक, राज्य व्यावसायिक प्रशिक्षण परिषद, उ०प्र०, अलीगंज लखनऊ।
- 3. समस्त मण्डलीय संयुक्त निवेशक(प्रशिष्ठ), उ०प्र०।
- समस्त नोडल प्रधानाचार्य, राजकीय औद्योगिक प्रशिक्षण संस्थान, उत्तर प्रदेश।
- उ. संबंधित प्रबंधक /प्रधानाचार्य, निजी औद्योगिक प्रशिक्षण संस्थान, उ0 प्र0 द्वारा संबंधित नोडल प्रधानाचार्य, राजकीय औद्योगिक प्रशिक्षण संस्थान, उत्तर प्रदेश।

संलग्नक-उपरोक्तानुसार।

(राजेन्द्र प्रसाद) अतिरिक्त निदेशक(प्रशि0/शिसु0)

Digitally signed by Rajendra Prasad Date: 10-07-2025 17:01:47

DGT-Aff011/7/2025-O/o DIR (TC) E-File No.- E-72107 Government of India/mm numit

Ministry of Skill Development and Entrepreneurship/कीशल विकास और स्थापशीलना वैद्यालय Directorate General of Training/ प्रशिक्षण महाविदेशालय

...

Kaushal Bhawan, New Moti Bagh Chanakyapuri, New Delhi- 110023 Dated: 03.07.2025

To

The State Directors (dealing with Craftsmen Training Scheme), Bihar, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Maharashtra, Tamii Nadu, Uttarakhand Uttar Pradesh and West Bengal

Subject: Affiliation of Trades/Units in Government/Private ITIs with NCVET -regarding.

Madam/Sir,

As decided in the 22nd meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 16.06.2025, the recommendations for trades and units for the ITIs, starting from session w.e.f. 2025, are mentioned in the enclosed list.

 The recommendations for ITIs, as mentioned in the enclosed list, must be read in conjunction with the minutes of the 22nd SCAA meeting.

Further, the affiliation of trades/units is subject to the following conditions:

 The DGT and State Director officers can inspect the ITI at any time to ensure better performance and training.

(ii) Periodic verification.

(iii) The ITI must comply with DGT norms and guidelines issued from time to time.

(iv) The ITI must display its logo on the display board at the main gate.

4. The aforementioned information is also available on the DGT MIS Portal at https://nevtmis.gov.in.

This issues with the approval of competent authority.

Encl.: - As above

Yours faithfully,

GODGE TO THE STAND STANDS

where family to be the Cultival Biswas/ areas family that yet the Description of the Description of the Color of the Color

Copy along with enclosures for information to:

Sr.PPS to DG/AS, DGT, New Delhi

2. PPS to DDG (Affiliation), PPS to DDG (South Zone) and PPS to DDG (East Zone).

 The officer dealing with DGTMIS Portal - to upload and necessary mapping on the NCVT MIS portal.

4. RDSDEs of Bihar, Haryana, Himachal Pradesh, Jharkhand, Kamataka, Maharashtra, Tamil Nadu, Uttarakhand, Uttar Pradesh and West Bengal- for information.

(Pooja Verma/ पूजा वर्गा)

Deputy Director-TC/ उप निरेशक टीभी





State: Uttar Pradesh

DGT-Aff011/7/2025-O/o DIR (TC)

tate:	Offat Lingern	THE RESIDENCE OF THE PARTY OF T	*******	D-1- 1/ 0/ 2028
atal -	10. (New-09, Existing-02)		Meeting	Date: 16.06.2025

S. No.	Name & Address of Institute	Trade for which affiliation sought	Units Sought by Institute	Units Recommended by SCAA	Remarks by SCAA	
	Kushinagar, Uttar Pradesh, 274407 TMP9160PR1647449958 New ITI	Health Sanitary Inspector	2(1+1+0)	2(1+1)	Assistant (COPA)- 2(1+1) 4. Health Sanitary Inspector- 2(1+1)	
5.	Dayashankar Singh P ITI, Address- Kushaha Rashidpur, Udharan Belthara Road Ballia, Uttar Pradesh 221716 1809016046	Electrician	2(1+1)	2(1+1)	SCAA recommended following trades:	
		Fitter	2(1+1)	2(1+1)	1. Electrician - 2 (1+1) 2. Fitter - 2(1+1)	
		Plumber	2(1+1)	2(1+1)	3. COPA - 2(1+1) 4. Plumber - 2(1+1)	
		C	2/1+1)	2(1+1)		